

Fabric Specifications

DESTINY

10 COLOURS	Ice, Chalk, Ivory, Mist, Birch, Limewash, Stone, Cloudy, Marble, Linen
FABRIC TYPE	sheer
COMPOSITION	100% Polyester
WIDTH	320cm
CONTINUOUS	Υ
BASE WEIGHT	Υ
PATTERN REPEAT	Nil
WEIGHT	99gsm
ROLL SIZE	40m
USE	drapery
COUNTRY OF ORIGIN	EU

This fabric meets Australian & New Zealand Textile Standards for: Drapery 2663.1.1997 -- Catergory: 3 High Performance

TEST RESULTS

TESTED TO AS/NZS 1530.2 Y FLAMMABILITY INDEX 1 SPREAD FACTOR L:0 W:0 HEAT FACTOR L:1 W:1 TESTED TO AS/NZS 1530.3 Y IGNITABLITY INDEX 0 (range 0-20) SPREAD OF FLAME INDEX 0 (range 0-10) HEAT EVOLVED INDEX 0 (range 0-10) SMOKE DEVELOPED INDEX 3 (range 0-10) MARTINDALE n/a COLOURFASTNESS TO LIGHT		
SPREAD FACTOR L:0 W:0 HEAT FACTOR L:1 W:1 TESTED TO AS/NZS 1530.3 Y IGNITABLITY INDEX 0 (range 0-20) SPREAD OF FLAME INDEX 0 (range 0-10) HEAT EVOLVED INDEX 0 (range 0-10) SMOKE DEVELOPED INDEX 3 (range 0-10) MARTINDALE n/a COLOURFASTNESS TO 7 using blue scales AS2001.4.21-2006	TESTED TO AS/NZS 1530.2	Υ
HEAT FACTOR L:1 W:1 TESTED TO AS/NZS 1530.3 Y IGNITABLITY INDEX 0 (range 0-20) SPREAD OF FLAME INDEX 0 (range 0-10) HEAT EVOLVED INDEX 0 (range 0-10) SMOKE DEVELOPED INDEX 3 (range 0-10) MARTINDALE n/a COLOURFASTNESS TO 7 using blue scales AS2001.4.21-2006	FLAMMABILITY INDEX	1
TESTED TO AS/NZS 1530.3 Y IGNITABLITY INDEX 0 (range 0-20) SPREAD OF FLAME INDEX 0 (range 0-10) HEAT EVOLVED INDEX 0 (range 0-10) SMOKE DEVELOPED INDEX 3 (range 0-10) MARTINDALE n/a COLOURFASTNESS TO 7 using blue scales AS2001.4.21-2006	SPREAD FACTOR	L:0 W:0
IGNITABLITY INDEX 0 (range 0-20) SPREAD OF FLAME INDEX 0 (range 0-10) HEAT EVOLVED INDEX 0 (range 0-10) SMOKE DEVELOPED INDEX 3 (range 0-10) MARTINDALE n/a COLOURFASTNESS TO 7 using blue scales AS2001.4.21-2006	HEAT FACTOR	L:1 W:1
SPREAD OF FLAME INDEX 0 (range 0-10) HEAT EVOLVED INDEX 0 (range 0-10) SMOKE DEVELOPED INDEX 3 (range 0-10) MARTINDALE n/a COLOURFASTNESS TO 7 using blue scales AS2001.4.21-2006	TESTED TO AS/NZS 1530.3	Υ
HEAT EVOLVED INDEX 0 (range 0-10) SMOKE DEVELOPED INDEX 3 (range 0-10) MARTINDALE n/a COLOURFASTNESS TO 7 using blue scales AS2001.4.21-2006	IGNITABLITY INDEX	0 (range 0-20)
SMOKE DEVELOPED INDEX 3 (range 0-10) MARTINDALE n/a COLOURFASTNESS TO 7 using blue scales AS2001.4.21-2006	SPREAD OF FLAME INDEX	0 (range 0-10)
MARTINDALE n/a COLOURFASTNESS TO 7 using blue scales AS2001.4.21-2006	HEAT EVOLVED INDEX	0 (range 0-10)
COLOURFASTNESS TO 7 using blue scales AS2001.4.21-2006	SMOKE DEVELOPED INDEX	3 (range 0-10)
	MARTINDALE	n/a
		7 using blue scales AS2001.4.21-2006

Complies with Building Code of Australia requirements for Class 2 to 9(a) buildings

Care Code 4 -For use on polyester/cotton, polyester mixture & polyester fabrics, woven or knitted. Remove hooks rings & trims before cleaning. Gently vacuum regularly with appropriate attachment. Warm hand wash. Do not bleach. Do not rub or wring. Do not tumble dry after washing. Drip dry in shade for best results hang curtains by their hooks to damp dry and rehang immediately. Use warm iron if required. Dry cleanable P 50. Possible shrinkage 3%.















warm hand wash

warm iron

do not tumble dry do not bleach

Guarantee: 3 Years in accordance with our fabric type and care instructions





DESTINY with weighted base







AVAILABLE IN 10 COLOURS



ICE



CHALK



IVORY



MIST



BIRCH



LIMEWASH



STONE



CLOUDY



MARBLE



LINEN