

Fabric Specifications

ORIX

10 COLOURS	Chalk, Parchment, Marble, Oyster, Fossil, Sand, Pebble, Wodland, Granite, Silver
FABRIC TYPE	uncoated
COMPOSITION	100% Polyester
WIDTH	300cm
CONTINUOUS	Υ
BASE WEIGHT	N
PATTERN REPEAT	Nil
WEIGHT	320gsm
ROLL SIZE	20-25m
USE	drapery
COUNTRY OF ORIGIN	EU

This fabric meets Australian & New Zealand Textile Standards for: Drapery 2663.1.1997 -- Catergory: 3 High Performance

TEST RESULTS

TESTED TO AS/NZS 1530.2	Υ
FLAMMABILITY INDEX	5
SPREAD FACTOR	L:4 W:3
HEAT FACTOR	L:1 W:1
TESTED TO AS/NZS 1530.3	Υ
IGNITABLITY INDEX	0 (range 0-20)
SPREAD OF FLAME INDEX	0 (range 0-10)
HEAT EVOLVED INDEX	0 (range 0-10)
SMOKE DEVELOPED INDEX	6 (range 0-10)
MARTINDALE	n/a
COLOURFASTNESS TO LIGHT	7 using blue scales AS2001.4.21-2006

Complies with Building Code of Australia requirements for Class 2 to 9(a) buildings

Care Code 4 -For use on polyester/cotton, polyester mixture & polyester fabrics, woven or knitted. Remove hooks rings & trims before cleaning. Gently vacuum regularly with appropriate attachment. Warm hand wash. Do not bleach. Do not rub or wring. Do not tumble dry after washing. Drip dry in shade for best results hang curtains by their hooks to damp dry and rehang immediately. Use warm iron if required. Dry cleanable P 50. Possible shrinkage 3%.



warm hand wash









do not tumble dry do not bleach dryclean P50

TEX ®

STANDARD
100

FIRE RETARDANT TESTED

Guarantee: 3 Years in accordance with our fabric type and care instructions





ORIX





AVAILABLE IN 10 COLOURS



CHALK



PARCHMENT



MARBLE



OYSTER



FOSSIL



SAND



PEBBLE



WOODLAND



GRANITE



SILVER