

filigree
COMPLETE LIVING

ENVIRO RECYCLED
BLOCKOUT COATED LINING FABRIC



Fabric Specifications

ENVIRO

11 COLOURS	White, Off White, Ivory, Ash, Silver, Cinder, Eggshell, Raw, Pewter, Storm, Fossil
FABRIC TYPE	blockout
COMPOSITION	100% Recycled Polyester, 3-pass silicone coating
WIDTH	300cm
CONTINUOUS	Y
BASE WEIGHT	N
PATTERN REPEAT	Nil
WEIGHT	250gsm
ROLL SIZE	25m
USE	lining
COUNTRY OF ORIGIN	NON EU


This fabric meets Australian & New Zealand Textile Standards for: Drapery 2663.1.1997 -- Category: 3 High Performance

TEST RESULTS

TESTED TO AS/NZS 1530.2	N
TESTED TO AS/NZS 1530.3	Y
IGNITABILITY INDEX	13 (range 0-20)
SPREAD OF FLAME INDEX	9 (range 0-10)
HEAT EVOLVED INDEX	3 (range 0-10)
SMOKE DEVELOPED INDEX	5 (range 0-10)
MARTINDALE	n/a
COLOURFASTNESS TO LIGHT	6 using blue scales AS2001.4.21-2006



Care Code 11 - For use on coated fabrics that are washable. Regular care will minimise the need for additional cleaning. Gently vacuum with appropriate attachment. Always exercise caution when spot cleaning. Test clean on non-exposed surface. Avoid excessive rubbing and abrasion. Remove hooks rings and trims before cleaning. Washing: Curtains are heavy when wet. Fabric is tested for 5 wash cycles in a domestic washing machine in cool to warm water (max 40°C). Mild detergents such as wool mixes are recommended. Do not bleach, soak, rub or wring. Drip dry in shade. Do not tumble dry. Hang curtains by their hooks to avoid coated sides touching. Do not use pegs. Do not fold curtains over clothes lines. Do not iron/press coated sides. Warm iron/press on fabric side only. Possible shrinkage 3%.



Guarantee: 3 Years in accordance with our fabric type and care instructions



STANDARD
100


FIRE RETARDANT
TESTED

basfordbrands
basfordbrands.com

ENVIRO

RECYCLED POLYESTER LINING FABRIC

AVAILABLE IN 11 COLOURS



WHITE



OFF WHITE



IVORY



ASH



SILVER



CINDER



EGGSHELL



RAW



PEWTER



STORM



FOSSIL