

filigree COMPLETE LIVING

BLOCKOUT COATED LINING FABRIC

Fabric Specifications

IMPERIAL

5 COLOURS	Pearl, Linen, Ash, Storm, Coal
FABRIC TYPE	blockout
COMPOSITION	100% Recycled Polyester, 3-pass silicone coating
WIDTH	300cm
CONTINUOUS	Υ
BASE WEIGHT	N
PATTERN REPEAT	Nil
WEIGHT	250gsm
ROLL SIZE	25m
USE	lining
COUNTRY OF ORIGIN	NON EU

This fabric meets Australian & New Zealand Textile Standards for: Drapery 2663.1.1997 -- Catergory: 3 High Performance

TEST RESULTS		
TESTED TO AS/NZS 1530.2	Υ	
FLAMMABILITY INDEX	1	
SPREAD FACTOR	L:0 W:0	
HEAT FACTOR	L:1 W:1	
TESTED TO AS/NZS 1530.3	Υ	
IGNITABLITY INDEX	0 (range 0-20)	
SPREAD OF FLAME INDEX	0 (range 0-10)	
HEAT EVOLVED INDEX	0 (range 0-10)	
SMOKE DEVELOPED INDEX	5 (range 0-10)	
MARTINDALE	n/a	
COLOURFASTNESS TO LIGHT	6 using blue scales AS2001.4.21-2006	1 2 3 4 5 6 7 8

Complies with Building Code of Australia requirements for Class 2 to 9(a) buildings

Care Code 11 - For use on coated fabrics that are washable. Regular care will minimise the need for additional cleaning. Gently vacuum with appropriate attachment. Always exercise caution when spot cleaning. Test clean on non-exposed surface. Avoid excessive rubbing and abrasion. Remove hooks rings and trims before cleaning. Washing: Curtains are heavy when wet. Fabric is tested for 5 wash cycles in a domestic washing machine in cool to warm water (max 40o C). Mild detergents such as wool mixes are recommended. Do not bleach, soak, rub or wring. Drip dry in shade. Do not tumble dry. Hang curtains by their hooks to avoid coated sides touching. Do not use pegs. Do not fold curtains over clothes lines. Do not iron/press coated sides. Warm iron/press on fabric side only. Possible shrinkage 3%.

















washable

fabric side only do not tumble dry do not bleach do not dryclean

STANDARD 100





Guarantee: 3 Years in accordance with our fabric type and care instructions











IMPERIAL

FIRE RETARDANT RECYCLED POLYESTER
LINING FABRIC _ _ _ _ _ _ _ _ _ _ _









AVAILABLE IN 5 COLOURS











PEARL

LINEN

ASH

STORM

COAL