

AUDIBLE ACOUSTIC

MAURICE KAIN

DESIGNED IN NEW ZEALAND & AUSTRALIA
MADE ACROSS THE GLOBE

mk
Maurice Kain

ACOUSTIC

Fabric Specifications

AUDIBLE

10 COLOURS	Natural, Linen, Nutmeg, Woodland, Ash, Shell, Stone, Slate, Charcoal, Carbon
FABRIC TYPE	Acoustic triple weave
COMPOSITION	100% Polyester
WIDTH	320cm
CONTINUOUS	Y
BASE WEIGHT	N
PATTERN REPEAT	Nil
WEIGHT	280gsm
ROLL SIZE	30m
USE	drapery
COUNTRY OF ORIGIN	NON EU

This fabric meets Australian & New Zealand Textile Standards for: Drapery 2663.1.1997 -- Category: 3 High Performance

TEST RESULTS

TESTED TO AS/NZS 1530.2	Y
FLAMMABILITY INDEX	6
SPREAD FACTOR	L:0 W:5
HEAT FACTOR	L:1 W:1
TESTED TO AS/NZS 1530.3	Y
IGNITABILITY INDEX	0 (range 0-20)
SPREAD OF FLAME INDEX	0 (range 0-10)
HEAT EVOLVED INDEX	0 (range 0-10)
SMOKE DEVELOPED INDEX	2 (range 0-10)
MARTINDALE	n/a
NOISE REDUCTION COEFFICIENT (NRC)	0.66
COLOURFASTNESS TO LIGHT	6 using blue scales AS2001.4.21-2006




Complies with Building Code of Australia requirements for Class 2 to 9(a) buildings

Care Code 4 -For use on polyester/cotton, polyester mixture & polyester fabrics, woven or knitted.


Remove hooks rings & trims before cleaning. Gently vacuum regularly with appropriate attachment. Warm hand wash. Do not bleach. Do not rub or wring. Do not tumble dry after washing. Drip dry in shade for best results hang curtains by their hooks to damp dry and rehang immediately. Use warm iron if required. Dry cleanable P 50. Possible shrinkage 3%.



warm hand wash



warm iron



do not tumble dry



do not bleach



dryclean P50



STANDARD
100



FIRE RETARDANT
TESTED



Guarantee: 3 Years in accordance with our fabric type and care instructions

basfordbrands
basfordbrands.com




Maurice Kain

AUDIBLE ACOUSTIC FABRIC



AVAILABLE IN 10 COLOURS




NATURAL




LINEN




NUTMEG




WOODLAND



ASH



SHELL




STONE



SLATE



CHARCOAL



CARBON