

Fabric Specifications

TASMAN

| 8 COLOURS | Ice, Beech, Natural, Ash, Platinum, Storm, Graphite, Shadow |
|-------------------|---|
| FABRIC TYPE | blockout blind fabric |
| COMPOSITION | 100% Polyester with acrylic foam coating |
| WIDTH | 300cm |
| OPACITY | Blockout complies to AS 2663.3:1999 |
| PATTERN REPEAT | Nil |
| WEIGHT | 380gsm +/- 10% |
| THICKNESS | 0.7mm +/- 10% |
| ROLL SIZE | 25m |
| USE | roller, roman and panel blinds |
| COUNTRY OF ORIGIN | NON EU |
| | |

TEST RESULTS

| TESTED TO AS/NZS 1530.2 | Υ |
|----------------------------|---|
| FLAMMABILITY INDEX | 70 |
| SPREAD FACTOR | L:40 W:40 |
| HEAT FACTOR | L:22 W:21 |
| TESTED TO AS/NZS 1530.3 | Υ |
| IGNITABLITY INDEX | 13 (range 0-20) |
| SPREAD OF FLAME INDEX | 9 (range 0-10) |
| HEAT EVOLVED INDEX | 4 (range 0-10) |
| SMOKE DEVELOPED INDEX | 6 (range 0-10) |
| MARTINDALE | n/a |
| COLOURFASTNESS TO LIGHT | 6 using blue scales AS2001.4.21-2006 1 2 3 4 5 6 7 8 |

Complies with Building Code of Australia requirements for Class 2 to 9(a) buildings

CARE INSTRUCTIONS

Cleaning your blind fabric is essential, not only to remove surface dust and stains, but it will also increase the longevity of your blinds. Use a feather duster, or a vacuum set on low with an appropriate attachment. Always exercise caution when spot cleaning. Use a clean, lint-free cloth or sponge and dip it in warm water. Dry gently with a clean towel. Always make sure to test any cleaning product on a small, discreet section of the fabric. Chemicals will permanently damage your fabric.



FREE



FREE



100% **BLOCKOUT**



WARRANTY



100



Guarantee: 5 Years in accordance with our fabric type and care instructions





TASMAN








AVAILABLE IN 8 COLOURS











PLATINUM







basfordbrands